

GRUNTOVA, ZORA

Pharmacochemical evaluation of the drug herba hyperici as the raw material for galical preparations. Zora Gruntová, L. Mesárosová, I. Vaňo, and L. Záhurecký (Chem. Ústav SAV, Bratislava, Czech.). *Formica* 23, 627-31 (1958).—*Hypericum perforatum* was studied: the dry substance in the drug is 91.84, ash 3.81, dry substance in the water ext. 30.04, dry residue in the gasoline-Et₂O-CHCl₃-Me₂CO-MeOH-EtOH-H₂O extract (together) 32.46, ethereal oil 0.1130, tannins 9.267, hypericine 0.466 (photometrically) and, 0.0095% (by isolation). E. Mack.

CZECHOSLOVAKIA - Chemical Technology - Chemical Products and Their Application. Synthetic and Natural Medicinal Substances. Galenicals and Medicinal Forms. H.

Abs Jour : Ref Zhur - Khimiya, No 10, 1959, 36025.

Author : Gruntova, Z.

Inst : -

Title : Concerning Certain Recent Materials for Ointment Bases.

Orig Pub : Farmacia (Ceskosl.), 1957, 26, No 3, 76-82.

Abstract : A review. Certain recent high-molecular surface-active substances, hydrophille colloids and silicenes, which found a place for some time past in the application for the preparation of ointment bases. Bibliography of 19 titles. -- T. Zvarova

Card 1/1

CATEGORY : Chemical Technology. Chemical Products and Their Applications. Pharmaceuticals. Vitamins. Antibiotics

ABS. JOUR. : RZhKhim., No 10, 1959, No. 62778

AUTHOR : Gruntova, Z.; Zakhurecky, L.

INSTITUTE : -

TITLE : Polyethylene Oxide Type Ointment Bases Containing Esters.

ORIG. PUB. : Ceskosl. Farmac., 1958, 7, No 5, 230-237

ABSTRACT : A possibility of employing "eriphore A" (a condensation product of oleic acid with 6 mols of ethylene oxide) for the preparation of emulsified ointment base of the "water in oil" type, was studied. After the determination of general constants of "eriphore A", an ointment base, containing 15% of "eriphore A", was prepared. Emulsifying agents and other auxiliary substances (to adjust consistency) were added. For this investigation two types of ointments were selected. The constants were established beforehand such as the stability in the presence of certain stabilizing

Card: 1/3

GRUNTOVA, Z.; SOMOSKEOY, G.; ZATHYRECKY, L.

The Kuzmice bentonite as a component of hydrophilic (washable by water) salve bases and salves. p. 352.

CHEMICKE ZVESTI. Bratislava, Czechoslovakia, Vol. 13, No. 6, Apr. 1959.

Monthly list of East European Accessions (EEAI) LC, Vol. 8, No. 10,
Oct. 1959.
Uncl.

GRUNTOVA, Z

1. The first part of the report deals with the activities of the Pharmaceutical Section of the J. Ev. Purkyně Czechoslovak Medical Society in the months of April to July 1963. It is divided into two parts: the first part deals with the activities of the Slovak Branch in Bratislava and the second part deals with the activities of the Brno Branch in Brno.

2. The second part of the report deals with the activities of the Brno Branch in Brno in the months of April to July 1963. It is divided into two parts: the first part deals with the activities of the Brno Branch in Brno and the second part deals with the activities of the Brno Branch in Brno.

3. The third part of the report deals with the activities of the Brno Branch in Brno in the months of April to July 1963. It is divided into two parts: the first part deals with the activities of the Brno Branch in Brno and the second part deals with the activities of the Brno Branch in Brno.

4. The fourth part of the report deals with the activities of the Brno Branch in Brno in the months of April to July 1963. It is divided into two parts: the first part deals with the activities of the Brno Branch in Brno and the second part deals with the activities of the Brno Branch in Brno.

5. The fifth part of the report deals with the activities of the Brno Branch in Brno in the months of April to July 1963. It is divided into two parts: the first part deals with the activities of the Brno Branch in Brno and the second part deals with the activities of the Brno Branch in Brno.

6. The sixth part of the report deals with the activities of the Brno Branch in Brno in the months of April to July 1963. It is divided into two parts: the first part deals with the activities of the Brno Branch in Brno and the second part deals with the activities of the Brno Branch in Brno.

7. The seventh part of the report deals with the activities of the Brno Branch in Brno in the months of April to July 1963. It is divided into two parts: the first part deals with the activities of the Brno Branch in Brno and the second part deals with the activities of the Brno Branch in Brno.

8. The eighth part of the report deals with the activities of the Brno Branch in Brno in the months of April to July 1963. It is divided into two parts: the first part deals with the activities of the Brno Branch in Brno and the second part deals with the activities of the Brno Branch in Brno.

9. The ninth part of the report deals with the activities of the Brno Branch in Brno in the months of April to July 1963. It is divided into two parts: the first part deals with the activities of the Brno Branch in Brno and the second part deals with the activities of the Brno Branch in Brno.

10. The tenth part of the report deals with the activities of the Brno Branch in Brno in the months of April to July 1963. It is divided into two parts: the first part deals with the activities of the Brno Branch in Brno and the second part deals with the activities of the Brno Branch in Brno.

Czechoslovakia

APPROVED FOR RELEASE: 08/10/2001 CIA-RDP86-00513R000617120008-6"

GRUNTOVA, Z., DUBKOVA, Graduate Pharmacist, MUDR. GRUNTOVA, D., Graduate Pharmacist, LOPACR, Fr., Graduate Pharmacist, Faculty Pharmacy, Brno, and BECAS, J. [except for LOPACR, affiliations cannot be determined].

[Reports on the Activity of the Pharmaceutical Section of the J. Ev. Purkyně Czechoslovak Medical Society]

Prague, Ceskoslovenska Farmacie, Vol XII, No 7, September 63, pp 383-384.

Abstract: Brief reports on the meetings of the Slovak Branch in Bratislava and on Branches in Brno and Karlovy Vary in the months of April to July 1963.

GRUBIOWSKI, S.

Air defense on the ground. p. 10.

WOJSKOWY PRZEGLAD LOTNICTWA. (Dowództwo Wojsk Lotniczych) Warszawa, Poland.
Vol. 12, no. 1, Jan. 1959.

Monthly list of EastEuropean Accessions (EEAI) LC, Vol. 8, no. 7, July 1959.

Incl.

GRUNTSEV, S.F.

Semiautomatic machine for removing burr from plastic blocks.
Mashinostroitel' no. 4:16 Ap '61.. (MIRA 14:4)
(Grinding machines)

GRUNTSEV, S.F.

Semiautomatic welding unit. Mashinostroitel' no.8:23 Ag '62.
(MIRA 15:8)

(Electric welding--Equipment and supplies)

GRUNTSEV, S. F.

Automatic machine for cutting pipes made of vinyl chloride.
Mashinostroitel' no.10:33 0 '62. (MIRA 15:10)

(Pipe cutting--Equipment and supplies)

EXCERPTA MEDICA Sec 17 Vol 5/7 Public Health July 59

2095. EXPERIENCE WITH TETRA-ETHYL LEAD FOR CARS, FROM THE HYGIENIC ASPECT - Naše dosavadní zkušenosti použitím ethylovaného benzínu k pohonu motorových vozidel po stránce hygienické - Grünvald A. and Barth A. Hyg. Epidemiol. Stanice. ÚNV, Praha - PRÁCOV. LEK. 1958, 10/4 (346-348) Tables 1

The authors investigated garages for the concentration of lead in the atmosphere due to the use of ethylated petrol (tetra-ethyl lead). The lead concentrations found ranged from 0 to 1.32 mg./cu. m., on an average, the admissible concentration of lead, 0.05 mg./cu. m., was surpassed 5-10 times. The state of health was not influenced by the use of ethylated petrol. Simultaneously high values of carbon monoxide were found, which surpassed the maximum admissible concentration 3 to 13 times. Although so far no adverse effect on the state of health has been found, it will nevertheless be necessary to require perfect ventilation of garages, which

2095

will render it possible to keep the concentration of lead and carbon monoxide within permissible limits.

GLAZOVSKAYA, Mariya Al'fredovna, prof.; MAKUNINA, Aleksandra Aleksandrovna, kand. geogr. nauk; PAVLENKO, Irina Alekseyevna, kand. geogr. nauk; BOZHKO, Margarita Georgiyevna, starshiy laborant; GAVRILOVA, Irina Pavlovna, nauchnyy sotr., laborant; GRUNVAL'D, V.P., retsenzent; ZASUKHIN, G.N., retsenzent; PEREL'MAN, A.I., red.; FADEYEVA, I.I., red.; YERMAKOV, M.S., tekhn. red.

[Geochemistry of land forms and prospecting for minerals in the Southern Urals] Geokhimiia landshaftov i poiski poleznykh iskopayemykh na IUzhnom Urale. Pod red. A.I. Perel'mana. Moskva, Izdvo Mosk.univ., 1961. 180 p. (MIRA 15:2)

1. Nachal'nik Yuzhno-Ural'skoy landshaftno-geokhimicheskoy ekspeditsii geograficheskogo fakul'teta Moskovskogo gosudarstvennogo universiteta (for Glazovskaya). 2. Yuzhno-Ural'skoye geologicheskoye upravleniye Ministerstva geologii i okhrany nedr SSSR (for Grunval'd, Zasukhin). (Ural' curtains--Geochemical prospecting)

GRUNWALD, H.
Scientific Abstracts

sect. B

Electron Tubes

621.385.001.2

3486. Approximate expression of valve characteristics by hyperbolic tangents and exponential functions.

A. Gindrov. *Slovesk. Obz.*, 12, 152-6 (No. 7, 1951) in Czech.

A method is described which has been worked out by N. N. Krylov. Applying in addition auxiliary functions developed by A. M. Zaslavskii it is possible to simplify considerably analytical calculations of circuits containing valves. V. Gusev

GRUBWAID, Antonin; HORVATH, Milan; HYSKA, Prokop

Electric dynamograph; automatic presentation of a combination of stimuli with a three-tone generator. Pracovni lek. 10 no.1:44-47 Mar 58.

1. Ustav hygieny prace a chorob z povolani v Praze, oddeleni fysiologie vyssi nervove cinnosti.

(MUSCLES, physiology

automatic dynamograph with combination of stimuli with 3-tone generator (Cz))

GRUNWALD, A., ing.; FAVRE, E., ing.; Hlaváček, J., ing.; ...

Contribution to the purification of waste water in a textile
material factories. Vodni hosp 15 n. 3:193-194, 1967.

1. Chair of Water Technology of the Higher School of Chemical
Technology, Prague.

GRUNWALD, Bedřich, MUDr.

Experience with preventive care in a workshop. Cesk. zdravot. 9
no.2:120-122 '61.

1. Dilensky lekar ZUNZ-NEKG, Ostrava--Kuncice.
(INDUSTRIAL MEDICINE)

11(4)

RUM/9-59-7-7/52

AUTHOR: Apostolescu, Nicolae, and Grünwald, Berthold, Engineers

TITLE: The Control of the Self Ignition Delay and of the Fuel Combustion in Compression-Ignition Engines on the Basis of the Kinetics of Chemical Reactions (Part I)

PERIODICAL: Metalurgia și construcția de mașini, 1959, Nr 7, pp 586-590 (Rumania)

ABSTRACT: The authors emphasize that the ideal mixture in diesel engines does not ensure an optimum of combustion. Despite the efforts made to obtain an ideal mixture, the diesel engines continue to burn the mixture far from ideally. Further progress must be sought by other means, such as that referring to the kinetics of burning. The control of combustion must solve two essential problems: reduction of the ignition delay and elimination of **after-burning**. In the light of research made in recent years, a new conception is de-
✓

Card 1/4

RUM/9-59-7-7/52

The Control of the Self Ignition Delay and of the Fuel Combustion
in Compression-Ignition Engines on the Basis of the Kinetics of
Chemical Reactions (Part I)

veloping with respect to the combustion processes within the engine. The authors state that the classical conception had not paid sufficient attention to the mechanism of ignition by compression. Some authors, such as King affirm that a thermal decomposition of the hydrocarbons takes place, leading to the formation of carbon nuclei and skeletons. Socolic and other authors have recommended, the authors write, studying the complex process of delayed ignition in its various successive phases. The theory of Socolic is described. Based on recent research, the improvement of the combustion process is centered especially on the reduction of the ignition delay. The control of the burning process is analyzed. The main difficulty consists in the fact that no diesel fuels exist that respond to multiple contradictory requirements. Such fuels appear to be impossible to obtain.



Card 2/4

RUM/9-59-7-7/52

The Control of the Self Ignition Delay and of the Fuel Combustion in Compression-Ignition Engines on the Basis of the Kinetics of Chemical Reactions (Part I)

The solution must be sought in an adequate process of combustion. It is important to avoid the cracking of the fuel in the proper combustion period. The authors stress that Meurer's system consisting of a simple modification of the classical direct-injection engine constitutes important progress. In that system, the fuel jet is directed 95% to the wall of the combustion chamber which has a controlled temperature. The process is given an ample description. Graph 2 presents the variation of the pressure during combustion for three different angles of the fuel jet and for three different wall temperatures. Experiments made by Pishinger indicated that the increase of the jet angle with the wall tangent reduces the ignition delay and increases the ratio dp/dt . Similar effects have been observed by varying the wall ✓

Card 3/4

RUM/9-59-7-7/52

The Control of the Self Ignition Delay and of the Fuel Combustion
in Compression-Ignition Engines on the Basis of the Kinetics of
Chemical Reactions (Part I)

temperature at constant jet angle. The article will
be continued. There are 2 graphs. ✓

Card 4/4

GAUFFARD, B: A. 1969

Control of the ignition lag and fuel combustion in engines with ignition through compression, based upon the kinetics of chemical reactions. p.769

ANALIZA SI STATISTICA ECONOMICA. (Ministerul Industrii Metalurgice si Constructiilor, a Masinilor si Asociatia Stiintifica a Inginerilor si Tehnicienilor din Romania) Bucuresti, Romania
Vol.11, no. 1, 1969

Monthly List of East European Accessions (EMAI) IC, Vol.9, no.2 Feb. 1960

Uncl.

GRUNWALD, Berthold, ing.; APOSTOLESCU, Nicolae, ing.

New solutions for the balancing of a motor centered on eight two-stroke cylinders. Metalurgia constr mas 13 no.9:780-785 S '61.

(Balancing of machinery)
(Moments of inertia)

GRUNWALD, Berthold, ing.; DUDAS, Traian, ing.

Possibilities of increasing the economic efficiency of diesel locomotive engines. *Metalurgia constr mas* 14 no.12:1092-1099 D '62.

GRUNWALD, Berthold, ing.; DUDAS, Traian, ing.

Some aspects of the economic efficiency of turbosupercharged engines.
Metalurgia constr mas 15 no.1:51-54 Ja '63.

1. Institutul politehnic, Bucuresti.

GRUNWALD, Berthold, ing.

Transitory running conditions of the automobile engine. Constr
mas 15 no.4:296-302 Ap '63.

1. Institutul politehnic, Bucuresti.

GRUNWALD, Berthold, ing.

Behavior of the automobile engine with spark ignition in acceleration. Constr mas 15 no.5:353-359 Mv '63.

1. Institutul politehnic, Bucuresti.

GRUNWALD, Berthold

Influence of the high compression rate on the economic
efficiency of spark ignition engines. Constr mas 16 no. 3:
134-137 Mr '64.

STANAIU, Serghiu

An equation of propagating turbulent flame in a spark ignition engine. Bul Inst Politeh 25 no.4:81-105 JL-Ag '63.

1. Department of Boilers and Thermal Machines, Bucharest Polytechnic Institute.

CRONWALD, Berthold

Dividing the combustion process in spark ignition engines into stages. Bul Inst Politeh 25 no.5:81-101 S.O '63.

1. Department of Boilers and Thermal Machines, Bucharest Polytechnic Institute.

GRUNWALD, Berthold

Influence of the combustion zone of the turbulent flame
on the cyclic dispersion phenomenon in the spark ignition
engine. Bul Inst Politeh 26 no.4:121-133 Jl-Ag '64.

1. Chair of Engines with Internal Combustion, Polytechnic
Institute, Bucharest.

GRUNWALD, Berthold

Study of the combustion process in spark-ignition engines on the basis of a physical model of turbulent flame propagation. Constr mas 17 no.2:57-63 F '65.

L 32153-66 T-2/EWP(f) WN/WE

ACC NR: AP6023488

SOURCE CODE: RU/0018/65/000/002/0057/0063

AUTHOR: Grunwald, Berthold

69

B

ORG: none

TITLE: Studying the combustion process in spark-ignition engines on the basis of a physical model of turbulent flame propagation

SOURCE: Constructia de masini, no. 2, 1965, 57-63

TOPIC TAGS: flame propagation, spark ignition, engine ignition system, engine combustion system, combustion

ABSTRACT: The author presents a system of equations derived on the basis of a novel physical model of turbulent flame propagation in spark-ignition engines^{2,3} and discusses the combustion process from the point of view of these relations. Orig. art. has: 2 figures and 33 formulas. [JPRS]

SUB CODE: 21 / SUEM DATE: none / ORIG REF: 017 / SOV REF: 014
OTH REF: 020

Card 1/1 *MS*

0915

1548

GRUNWALD, Clara (Bucuresti); MAVROMATI, Elena (Bucuresti)

Organogenesis of the reproductive elements of barley.
Natura Biologie 15 no. 3: 3-13 My-Je '63.

GRUNWALD, E.

Distr: 4E2c

15 6
1

Manufacture of highly dispersed colloidal graphite and its use in foundries. György Párai, Brúó Grünwald, and Judit Kertész. (Armatura Steel Mills, Kolozsvár). *Ontde*: 9, 85-90(1958).—Acheson graphite contg. 0.6% ash (composed of 12-25% Si carbide, the balance Fe₂O₃, SiO₂, and Al₂O₃) was transformed into colloidal graphite suitable for the protection of coquilles in foundries by grinding in a ball mill in the presence of ground glass and water, followed by the addition of gelatin for stabilization. Particle size distribution of the product (after 8, 18, and 24 hrs. grinding) is: 60-30 μ (34.5, 23.7, and 5.0%), 30-20 μ (18.5, 12.1, 18.0), 20-11 μ (35.0, 46.0, 58.3), and 11-2 μ (12.0, 19.2, 20.7).

NB
1/1

JJJ

EM L. G. Aron

GRONITSA, I.; G. ROLYI, CB.

Studies on the utilization of complex cobalt (III) - and chromium (III) - aminic combinations as luster additions in nickeling baths. Rev chimie Min petr 14 no.7:416-419 J1 '63.

I. I.I.S. Armatura-Cluj, Catedra de chimie anorganica si analitica, Universitatea Babes-Bolyai - Cluj.

GRUNWALD, Ernest

Control of galvanizing baths with the aid of Hull's cell. Metalurgia
constr mas 15 no.1:21-24 Ja '63.

1. Intreprinderea Industriala de Stat "Armatara", Cluj.

L 54879-65 EWP(i)/EWP(t)/EWP(b) JD

ACCESSION NR: AP5017920

RU/0017/64/000/012/0547/0549

AUTHOR: Grunwald, E. (Chemist)

TITLE: Introduction and industrial utilization of electrolytic iron plating ¹⁰_B

SOURCE: Metalurgia, no. 12, 1964, 547-549

TOPIC TAGS: metal plating, iron, electro plating

ABSTRACT: Electrolytic iron plating was successfully used in the laboratories of the Cluj "Armatura" plant to bring wornout metal parts to their original size. The electrolyte and process are described in detail. The deposition can be followed b heat-treatment and machining. Orig. art. has: 1 table.

ASSOCIATION: I. I. S. Armatura, Cluj

SUBMITTED: 00

ENCL: 00

SUB CODE: IM

NR REF SOV: 001

OTHER: 003

JPRS

Card

Jm
1/1

GRYRWALD, GEZA

Gryrwald, Geza. Über die Grundfunktionen der Interpolation. *Mat. Fiz. Lapok* 49, 76-83 (1942). (Hungarian. German summary)

The author shows that for normal point groups $\lim_{n \rightarrow \infty} \sum_{k=1}^n (h_k^{(n)}(x))^2 = 1$ for all x satisfying $-1 < x < 1$. A paper of the author containing this and other results has already been reviewed [*Acta Math.* 75, 219-245 (1943); these Rev. 7, 157]. *P. Erdős* (Syracuse, N. Y.)

Source: *Mathematical Reviews*, v. 13, No. 5

GRINWALD, Ernest, chimist

Problem of economy of washing water in electroplating.
Industria usoara 11 no.11:595-599 N '64.

1. "Armatura" Enterprise, Cluj.

L 14543-65 EWT(m)/EPF(c)/EPF(n)-2/EPR Fr-4/Ps-4/Pu-4 AEDC(a)/AFWL/BS3D/
AEDC(b)/SSD
ACCESSION NR: AP4044475 G/0025/64/000/005/0300/0307

AUTHOR: Grunwald, G.

TITLE: Heat-transfer and heat-flow measurement in an annular clearance with artificially roughened fuel-element can walls

SOURCE: Kernenergie, no. 5, 1964, 300-307

TOPIC TAGS: heat transfer coefficient, nuclear reactor, heat transmitter, nuclear reactor heat transfer, Nusselt number

ABSTRACT: Heat-transfer and heat-flow measurements were made in a fuel-element can with artificially roughened water-cooled walls wound with wire of varying diameter and pitch under conditions of turbulent flow. The measurement data, of interest for nuclear reactors and conventional heat transmitters show that it is possible to obtain general data on the optimal roughness geometry at which the heat-transfer coefficient improves greatly with the least possible rise in the resistance coefficient. The heat-transfer measurement can be brought into an empirical relationship with the experimentally determined wall shearing stress

Card 1/2

L 14543-65

ACCESSION NR: AP4044475

with the aid of a corrected Nusselt number. Orig. art. has: 18 formulas,
9 figures, and 2 tables.

ASSOCIATION: Zentralinstitut für Kernforschung, Bereich Reaktortechnik und
Neutronenphysik, Rossendorf near Dresden (Central Institute for Nuclear Research,
Field of Reactor Engineering and Neutron Physics)

SUBMITTED: 16Jan64

ENCL: 00

SUB CODE: TD

NO REF SOV: 000

OTHER: 006

Card 2/2

Grisnwald, H.

Centrifugal laboratory stirrer. J. Růčica and H. Grisnwald (Czech. Akad. věd, Prague). *Chem. Listy* 48: 1230-1231. A special hollow glass stirrer is designed suitable for stirring foaming solids, and for stirring with simultaneous introduction of gases. M. Hudlíček

GRUNWALD, J.

Grunwald, J.. How to exercise in Teplice. p. 151. KRIDLÁ VLASTI. Praha.
No. 7, Apr. 1955.

SO: Monthly List of the East European Accession, (EEAL), LC. Vol. 4,
no. 10, Oct. 1955.. Uncl.

GRUNWALD, L.
STOIA, I.; NITESCU, S.; GRUNWALD, L.; LEIBOVICI, S.

Considerations on 130 cases of rheumatic diseases treated with
phenylbutazone. Rumanian M. Rev. 1 no.3:37-41, July-Sept 57.

(RHEUMATISM, ther.

phenylbutazone in rheum. dis.)

(PHENYLBUTAZONE, ther. use
rheum. dis.)

STOIA, Dr.; NITESCU, S., dr.; GRUNWALD, L., dr.; LEIBOVICI, S., dr.

Notes on 130 cases of rheumatic disease treated with phenylbutazone.
Med. int., Bucur. 9 no.1:89-93 Jan 57.

(ARTHRITIS, RHEUMATOID, therapy
phenylbutazone)
(PHENYLBUTAZONE, ther. use
rheum. diseases)
(RHEUMATIC FEVER, ther.
phenylbutazone)

GRUNWALD, L.; NAREBSKI, J.

Value of conservation and methods of sampling feces in the bacteriological diagnosis of shigellosis. Med. dosw. mikrob. 9 no.2:211-217 1957.

1. Z Działu Klinicznego PZH i II Kliniki Chorob Zakaźnych A.M. w Warszawie Kierownik: prof. dr. med. B. Kassur.

(DYSENTERY, BACILLARY, diag.

bacteriel., value of conservation & methods of sampling feces in (Pol))

FLECK, Ludwik; DUROS-KAWECKA, Halina; GRUNWALD, Leonora

Epidemiological application of serology of *Corynebacterium diphtheriae*. Postępy hig. med. dozw. 11 no.2:151-160 1957.

1. Cecylia Stankiewicz oraz A. Szymanczyk, A. Porebska, K. Zemburowa
Zakład Mikrobiologii Immunologii Instytutu Matka i Dziecka.
Warszawa, ul Kasprzaka 17.
(*CORYNEBACTERIUM DIPHTHERIAE*, immunology,
review (Pol))

YUGOSLAVIA

GRUNWALD, Dr. Petar [Affiliation not given] Zagreb

"Genetics of Serum Proteins, with Special Attention to Haptoglobins"

Belgrade, Medicinski Glasnik, Vol 20, No 5-6, May-June 1966, p. 179-183

Abstract: Discussion of blood groups: ABO, ceruloplasmin (Wilson's disease); haptoglobins; techniques of study: starch electrophoresis and fractionation techniques of various types, including one according to authors' own modification of Smithies' method. 1 photograph; 11 Western references.

1/1

GRÜNWALD, P.; HERMAN, G.

Distribution of taste sensitivity for the bitter by comparative utilization of two different methods. Bul sc Youg 7 no.1/2:4-5 F-Ap '62.

1. Bioloski institut Medicinskog fakulteta, Zagreb.

*

JELASIC, F.; GRUNWALD, P.; MAVER, H.; PREJAC, M.

Familial spastic paralysis. Neuropsihijatrija 10 no.1/2:27-39 '62.

1. Iz Neurolosko-psihijatrijske klinike Med. fakulteta u Rijeci;
Zavoda za biologiju Med. fakulteta u Zagrebu te Vojne bolnice u Zagrebu.
(PARALYSIS, SPASTIC)

S

GRUNWALD, Petar, sveucilisni asistent dr.; MAVER, Hubert, sanitetski pukovnik dr.; DERGANČ, Matija, sanitetski potpukovnik dr.; GRGIC, Zvonko, visi zdravstveni suradnik

Study of the relationship between some normal hereditary characteristics in man and their disposition to respiratory diseases. Vojnosanit. pregl. 22 no.5:301-303 My '65.

1. Medicinski fakultet u Zagrebu, Bioloski institut.

GRUNWALD, Rolf, inz., promovany ekonom

Use of graphs and formulas in fixing prices. Podnik organizace
16 no.11:512-517 N '62.

1. Technicko-organizacni vyzkumny ustav strojirensky.

GRUNWALD, Rolf, inz.

"Value and price in the socialist industry" by M.Kocman.
Reviewed by Rolf Grunwald. Podn org 17 no.9:432 S'63

GRUNVA J, Recl, ins, prvovny ekono

The calculation of prices has its rules. Podn org 18 no.10:
450-454 C '64.

J. Research Institute of Mechanical Engineering and Economics,
Prague.

89A (-RUMBLE) Z

5

1435

621 237 31

Grunwald Z. **Braking and Speed Control in Electric Hoist Drives.**

Hamowanie i regulacja prędkości w elektrycznych napędach
dźwigowych: Przegląd Elektrotechniczny No 1-2 3, 1951, pp 99
107, 15 figs

The article deals with the methods of braking and controlling
speed in modern electric hoist drives, due all ways being made for
recent solutions of this problem. They are directly connected with
the problem of indoor transportation.

GRUN A-D

3794

Grunwald Z. Drives and Control in Passenger Elevating Devices. 621.34 : 621.87 : 621.3.973

„Napęd i sterowanie w osobowym transporcie pionowym”. Przegląd Elektrotechniczny. No. 7, 1954, pp. 300—306, 9 figs.

Electrical equipment for three typical passenger elevating devices — express lift, paternoster elevator and escalator. Comparative performances. The author reviews, on the basis of developed electric diagrams, and with particular reference to automatic drives, methods of control of the devices under review.

Grunwald, Z.

Elek
2

1318. ELECTRIC DRIVES FOR HOISTING EQUIPMENT. Grunwald, Z.
(Przepl. Elektrotech. (Electrotech. Rev.), 1954, vol. 30, (1954), p. 1488).
General description and details of the control circuit of an electrically
driven coal loading belt conveyor for seaports are given. The electric
drive and its control in a recently installed travelling bridge handling
loads of 30 tons of ore, with a span of 76.2 m are discussed. Electrical
equipment weighs 40 out of its 1400 tons. Electrical
SIA.]

BT

GRUNWALD, Z.

"Electric driving" by Z: Gogolewski, Reviewed by Z. Grunwald.
Przegl elektrotechn 38 no.2:71-72 '62.

GRUNWALD, Zdzislaw, doc.

"Engineering of relay systems" by J.Bromirski. Reviewed by
Zdzislaw Grunwald. Przegl elektrotechn 39 no.9:364-365 S
'63.

KONKIEWICZ, R., mgr inż.; MARECKI, Jacek, dr inż.; DOMANSKI, Edward, mgr inż.; GRUNWALD, Zdzisław, doc.

Review of publications in electrical engineering. Przegl. elektrotechn 40 no.7:334-337 J1 '64.

GRACANIN, M.; GRUPCE, Lj.

Transpiration rate and volume of some species of the Gazibaba
Botanical Garden in Skopje under normal conditions. Izdanija
Prirnauc muzeja Skopje 9 no.5:75-120 '64.

GRUNWALK, Rolf, inz., promovany ekonom

Price indexes. Pod org 17 no.10:453-457 0 '63.

1. Technicko-organizacni vyzkumny ustav strojirensky.

GRUNYANSKIY, M.N.

A new method for establishing norms of work records and wages for
workers in sawmills. Bum. i der. prom. no.2:50-52 Ap-Je '63.
(MIRA 17:2)

1. Veliko-Bychkovskiy lesokombinat.

GRUNYUSHIN, M.; ZHELEZNOVA, N., brigadir brigady kommunisticheskogo truda

Less administration and more training. Sov.profsoiuzy 16
no.6:45-46 Mr '60. (MIRA 13:3)

1. Predsedatel' tsekhnovogo komiteta profsoyuza 1-go chasovogo zavoda.
(Trade unions) (Food industry)

COUNTRY : HUNGARY
CATEGORY : Inorganic Chemistry. Complex Compounds
ABS. JOUR. : RZhKhim., No. 1 1960, No.657
AUTHOR : Grunze, H.
INST. : Hungarian AS
TITLE : Preparation and Properties of Dichlorophosphoric Acid
ORIG. PUB. : Acta chim. Acad. scient. hung., 1959, 18, No 1-4, 303-312
ABSTRACT : Data published earlier (RZhKhim., No 13, 1959, No 45311) on the preparation and properties of HPO_2Cl_2 are cited. The impossibility of preparing pure HPO_2Cl_2 by hydrolysis of POCl_3 is explained by the fact that the substitution of Cl for OH in POCl_3 does not materially change the character of other bonds of P-Cl. Upon hydrolysis of $\text{P}_2\text{O}_3\text{Cl}_4$, the water adds to the bond

CARD:

1/2

C-3

COUNTRY :
CATEGORY :
ABS. JOUR. : RZKhim., No. 1 1960, No. 657
AUTHOR :
INST. :
TITLE :
ORIG. PUB. :
ABSTRACT : P-O-P which is extremely strong in pyrophos-
cont'd phates but is weakened in $M_4P_2O_7$, and especial-
ly so in its complex ethers and in $P_2O_3Cl_4$.--
I. Ryss
CARD: 2/2

GRUODITE, S.N., kandidat meditsinskikh nauk

Treatment of chronic gastritis and peptic ulcer at the health resort of Druskininkai in the Lithuanian S.S.R. Sov.med. 21 no.3: 63-67 Nr '57. (MLRA 10:7)

1. Iz kafedry gospital'noy i fakul'tetskoy terapii (zav. - prof. doktor meditsinskikh nauk I.K.Kupchinkas) Kaunasskogo instituta i kurorta Druskininkay (glavnyy vrach I.P.Tishkin)

(GASTRITIS, ther. hydrother.)

(PEPTIC ULCER, ther. same)

(HYDROTHERAPY, in various dis., gastritis & peptic ulcer)

GRUODITE, S. N. Doc Med Sci -- (diss) "Treatment of chronic-gastritis patients
in the Druskininkay ^{health resort} spa." Mos, 1958. 23 pp (Min of Health USSR. Central
Inst for the Advanced Training of Physicians), 250 copies (KL, 52-58, 106)

GRUPCE, Lj.

Ecology of the varieties characteristic of the flat meadows
of Skopska Kotlina. Bul se Youg 7 no.4/5:115-116 Ag-0 '62.

1. Botanicki institut Prirodno-matematskog fakulteta, Skopje.

GRUBIC, B.

Determining some varieties of potatoes of Serbia.

p. 135 (Belgrade. Institut za ribarstvo i poljoprivredu, periodika i publikacije. "Zbornik" Radova. No. 4, 1958. Beograd, Yugoslavia)

Monthly Index of East European Accessions (MIEA) 10. Vol. 7, no. 2,
February 1958

GRUPCE, R.

Anatomic studies of Macedonian poppies with a special emphasis on their lactogenous system. Bul sc Youg 7 no.3:70 Je '62.

1. Botanicki institut Poljoprivredno-sumarskog fakulteta u Skopju.

MINCHOV, N.; GRUPCHEV, V.

Use of cystopyelography in the diagnosis of some bladder diseases.
Khirurgia (Sofia) 17 no.3:347-350 '64.

1. Institut za spetsializatsiia i usuvurshenstvuvane na lekarite,
Sofia; katedra po urologiia (Rukovoditel na katedrata; prof.
A. Chervenakov); katedra po rentgenologiia i radiologiia (Ruko-
voditel na katedrata; prof. G. Khadzhilekv).

L 1002-66

ACCESSION NR: AP5026084

BU/0016/65/000/005/0285/0289

AUTHOR: Grupchev, V.; Bakurdzhiyev, M. (Bakyrdzhiyev, M.)

12
B

TITLE: Simultaneous urography and cholangiocholecystography

SOURCE: Suvremna meditsina, no. 5, 1965, 285-289

TOPIC TAGS: radiology, gastroenterology

Abstract [Authors' Russian and English summaries, modified]:
The article reports the results of simultaneous urography and cholangiocholecystography in 10 patients with unclear pain symptoms in the right subcostal region. The method is recommended in both emergency and routine practice. It is tolerated well and gives precise and quick results with very good contrast images. The following preparations were utilized: uromiro 60%, triuropan 62%, urographin 60-76% in combination with endostabil or biligradin 50%, administered in series or simultaneously, mixed in the same syringe. Orig. art. has 3 figures.

ASSOCIATION: ISUL, Katedra po rentgenologiya i radiologiya i Katedra po gastroenterologiya i Dietetika (Department of Roentgenology and Radiology and Card 1/2

L 1002-66

ACCESSION NR: AP5026084

Department of Gastroenterology and Dietetics, ISUL)

SUBMITTED: 00Jul64

ENCL: 00

SUB CODE: LS

NO REF SERV: 000

OTHER: 004

JPRS

Card ²¹ 2/2

GRUS, I.
SURNAME (in caps; Given Names)

Country: Yugoslavia

Academic Degrees: [not given]

Affiliation: Veterinary Station (Veterinarska stanica), Dobanovci

Source: Belgrade, Veterinarski glasnik, No 5, 1961, pp 401-403.

Data: "Use of Drug "Lotagen" in Surgery."

254

GROS, I.

(3)

SURNAME (in caps); Given Names

Country: Yugoslavia

Academic Degrees: / not given /

Affiliation:

Source: Belgrade, Veterinarski glasnik, No 7, 1961, pp 595-599.

Date: "Contribution to the Therapy with "Lotagon" of Puerperal Diseases and Chronic Endometritis in Cattle."

Author:

MARKOVIC, B., Clinic for Obstetrics of the Faculty of Veterinary
Medicine (Klinika za porodiljstvo Veterinarskog fakulteta), Belgrad
Veterinary Station (Veterinarska stanica), Bobanovac

GRUS, R. Y., and VARCHENYDA, A. A.

"Improvement of the light resistance of polyvinylchloride," a paper presented at the 9th Congress on the Chemistry and Physics of High Polymers, 28 Jan-2 Feb 57, Moscow, Polytechnic Inst., Leningrad.

B-3,004,395

G R U S A , J .

✓ 2078. NEW METHOD OF EXPERIMENTAL INVESTIGATION OF FRICTIONAL RESISTANCES IN MINE WINDING GEAR. Grusa, J. (Ugol (Coal, Moscow), Apr. 1955, 31-35). / A simple method for Kops's winding gear, first used in deep mines in Czechoslovakia, is described with experimental results. (L).

GRUSCHIN, G.G. (Grushin, G.I.)

Liquid and gaseous inclusions as mineralogical manometer.
Analele geol geogr 7 no.1:25-28 Ja-Mr '64.

GRUSDEV, V. A.

"The Differential Method of a Hydrostatic weighing
for the Measurement of Molten Metals Density."

Report submitted for the Conference on Heat and Mass Transfer,
Minsk, BSSR, June 1961.

ECG, Jiri; VYČIHL, Josef; TICHK, Miles. Tech. lona. spoluprac. MAREŠKOVÁ,
Eva; GRUSEKOVÁ, Božena.

About various factors influencing the determination of plasma
potassium. Sborn. ved. prac. lek. fak. Karlov. Univ. 7 no.5:
707-716 '64.

GRUSEVICH, S. **I**, Engineer, Chief of the LONIIS and Cand. in Tech Sci., and ATLIVANIK,
L. Ya., Research Worker at the LONIIS.

"Audio Band Noise Generators." Vestnik svyazi, Vol 13, No. 10, Oct 1953, pp.
9-10.

Translation M-3,053,484

ATLIVANIK, L.Ya.; GRUSEVICH, S.I.

Correcting RC - quadripoles. Radiotekhnika 9 no.6:73-80 D 154.
(Transducers) (MIRA 8:4)

TRANS. ARTICLES 8547, V

USSR/ Electronics - Circuit breakers

Card 1/1 Pub. 133 - 7/23

Authors : Grusevich, S. I., Engineer and Laboratory Director of LONIIS (Leningrad
Branch of the Research Institute of the Ministry of Communications)

Title : Pulse circuit breaker

Periodical : Vest. svyazi 11, 14-15, Nov 1954

Abstract : An electromagnetic device known as a "pulse circuit breaker," used basically for automatic breaking of telephone circuits by means of relays, as a signal generator, and for testing the frequency values of pulse-signals, is described. The device can generate pulses between 5 and 10 cps. A circuit diagram illustrating the operation of the pulse circuit breaker is shown, and general instructions for connecting and disconnecting the device are given. The types of tubes used and the layout of transformers, resistances, capacitances and switches are indicated on the diagram. The circuit breaker can be operated from an A-C line of 110, 127, or 220 volts. Circuit diagram.

Institution:

Submitted:

GRIGOR'YEV, Georgiy Leonidovich; GRUSEVICH, Stanislav Iosifovich; MATYUSH,
B.I., otvetstvennyy red.; BALAKIREV, A.F., red.; PIRSOVA, A.G.,
tekhn.red.

[Full-anatomic testing apparatus for testing selectors of modernized
ten-step systems] Polnoavtomaticheskaya ispytatel'naya apparatura
dlya proverki iskatel'nykh modernizirovannoi dekadno-shagovoi ATS.
Moskva, Gos. izd-vo lit-ry po vopr. svyazi i radio, 1957. 49 p.

(MIRA 11:4)

(Telephone, Automatic--Apparatus and supplies)

GRUSEVICH, S.I.; SHAPIRO, S.B.; YEFRETOVA, Ye.I.; BESKIND, A.A.;
FARAFONOV, L.S.; TERENT'YEV, V.N.; VASIL'YEVA, L.S.;
FARAFONOV, L.S., otv. red.; ULANOVSKAYA, N.M., red.;
ROMANOVA, S.F., tekhn. red.

[New equipment and operating techniques of automatic
telephone exchanges] Novaia tekhnika i metody ekspluatatsii
ATS; informatsionnyi sbornik. Moskva, Sviaz'izdat, 1963.
151 p. (MIRA 16:12)

(Telephone)

GRUSH, D.B.; YEFREMOVA, A.M.; NEFOMNYASHCHIY, V.; TORUNTSOVA, L.

[Such people conquer; leading workers in the construction of the Nazarovo State Regional Electric Power Plant]
Takie pobediat; o peredovikakh stroitel'stva Nazarovskoi
GRES. Krasnoiarsk, Krasnoiarskoe knizhnoe izd-vo, 1961.
89 p. (MIRA 18:5)

IZBAVITELEV, P.V.; KUVSHINNIKOVA, L.A.; LIBERMAN, M.L.; NISNEVICH, TS.M.;
GRUSHA, A.M.

Hygienic evaluation of occupational training in a shoe factory.
Zdrav. Bel. 9 no.3:38-40 Mr'63 (MIRA 16:12)

1. Iz belorusskogo nauchno-issledovatel'skogo sanitarno-gigiye-
nicheskogo instituta (dir. - kand. med. nauk A.P.Rusyayev) i
2-go klinicheskogo ob'yedineniya g. Minska (glavnyy vrach B.V.
Drivotinov).

IZBAVITELEV, P.V., vrach-gigiyenist; GRUSHA, A.M., vrach-gigiyenist;
LIBERMAN, M.L.; vrach-terapevt; KUVSHINNIKOVA, L.A., vrach-
gigiyenist.

Hygienic evaluation of the conditions in the industrial train-
ing shop of a shoe factory. Gig. sanit. 28 no.2:103-106 '63
(MIRA 17:2)

1. Iz Belorusskogo sanitarno-gigiyenicheskogo instituta

GRUSHA, G.A.

37
Tin Oxide. I. A. Gal'denblat, P. T. Shchegolev, B. D. Stepin, S. N. Arnshteyn, G. A. Lomina, and A. L. Rylov. U.S.S.R. 165,685, Aug. 25, 1951. Molten Sn heated to 350-400° is atomized with O preheated to 230-50° into a furnace held at 1160°. At. Shoch.

Country : USSR
Classification : CULTIVATED PLANTS, GRAINS M
Abs. Jour. : REF ZHUR.BIOL.,21,1958, NO-959,6
Author : Gropsha, N.
Institution : RSFSR, Belorussian SSR
Title : The Effect of Fertilizers on the Corn Yield

Orig. Pub. : V sb.: Kukuruz v BSSR. Minsk, AN BSSR, 1957,
182-186

Abstract : The results of an experiment at the Benykinskaya
Experimental Station (in the Belorussian SSR).
Corn grown on turf-podzolic sandy loam soil after
well fertilized potatoes yields, when the soil
was limed, a relatively high yield of greenstuff
and cobé (297 centners per ha.). To boost
the yield still further a local application of
small doses of organic mineral mixtures is enough.

Card: 1/1

GRUSHA, O.V., ordinator

A tumor of the ciliary body with cystic degeneration. Vest. oft.
71 no.2:52-53 Mr-Apr '58. (MIRA 11:4)

1. Klinika glaznykh bolezney (dir.-prof. N.A. Pletneva) II Moskovskogo
meditsinskogo instituta imeni N.I. Pirogova.

(UVEA, neoplasms
tumor of ciliary body with cystic degen.)

GRUSHA, O.V., aspirant

Operation for ptosis with the use of a kapron transplant. Vest. oft.
72 no.4:39-43 JI-Ag '59. (MIRA 13:4)

1. Klinika glaznykh bolezney (sav. - prof. N.A. Pletneva) II Moskov-
skogo meditsinskogo instituta imeni N.I. Pirogova.
(EYEIDS surg.)

GRUSHA, O.V.

Use of capron tissue in surgery of the eyelids and in enucleation;
experimental and clinical observations. Vest. oft. 73 no. 1:27-33
Ja-F '60. (MIRA 14:1)

(NYLON) (EYELIDS--SURGERY) (EYE--SURGERY)

LARINA, Z.T., kand.med.nauk; GRUSHA, O.V.; VOZNYUK, Ye.I.

Radioindications and the luminescent method in the diagnosis of tumors of the anterior segment of the eye and its adnexa. Vest. oft. no.3:22-26 My-Je '62. (MIRA 15:8)

I. Kafedra glaznykh bolezney (zav. - prof. N.A. Pletneva) i kafedra rentgenologii i radiologii (zav. - prof. V.A. D'yachenko)
II Moskovskogo meditsinskogo instituta imeni N.I. Pirogova.
(EYE--TUMORS) (LUMINESCENCE) (RADIOACTIVE TRACKERS)

VOZNYUK, Ye. I.; GRUSHA, O. V.

Radioactive phosphorus in the differential diagnosis of pigmented tumors of the eye. Med. rad. no.4:35-40 '62.

(MIRA 15:6)

1. Iz kafedry rentgenologii i radiologii (zav. - prof. V. A. D'yachenko) i kafedry glaznykh bolezney (zav. - prof. N. A. Pletneva) II Moskovskogo meditsinskogo instituta imeni N. I. Pirogova.

(~~EYE~~-TUMORS) (PHOSPHORUS-~~ISOTOPES~~)
(DIAGNOSIS, DIFFERENTIAL)

GRUSHA, Yuriy, inzhener

New method of experimental examination of friction resistance in mine hoisting equipment. Ugol' 30 no.4:31-35 Ap '55.
(MLRA 8:6)

1. Nauchno-issledovatel'skiy institut sil'notochnoy elektrotehniki Chekhoslovakii.
(Mine hoisting)

GRUSHAN, A.; KOGAN, A., red.

[New steps toward abundance; work achievements of progressive horticulturists and viticulturists of Moldavia] Novye shagi k izobiliiu; trudovye uspekhi peredovykh sadovodov i vinogradarei Moldavii. Kishinev, Partizdat, 1965. 113 p. (MIRA 19:1)

GRUSHANSKIY, E.L.

Dynamics of subordination and adaptation in the catatonic form of schizophrenia with a chronic unfavorable development. Zhur. nevr. i psikh. 63 no.9:1376-1380 '63. (MIRA 17:8)

1. Kafedra psikhatrii (zav. Ye.V. Maslov) L'vovskogo meditsinskogo instituta.

DOROSHEV, I.A., prof., red.; IGNATOV, S.A., dots., red.; SUSLOV,
I.F., kand. ekon. nauk, red.; GRUSHCHENKO, I.P., red.;
ROGACHEV, S.V., red.; VORONINA, N.V., red.

[Several problems of the intensification of agriculture]
Nektoroye problemy intensifikatsii sel'skogo khoziaistva.
Moskva, Izd-vo "Mysl'," 1964. 283 p. (MIRA 17:4)

1. Moscow. Akademiya obshchestvennykh nauk.

ORNATSKIY, A.P.; GRUSHCHENKO, L.F.

Hydraulic resistance in surface boiling of water in annular
channels. Teplofiz. vys. temp. 1 no.2:260-266 S-0'63.
(MIRA 17:5)

1. Kiyevskiy politekhnicheskii institut.